

Name:	
-------	--










## ummer Assignment 2024

- Complete all 7 worksheets in the packet. They are due the first day of school.
- Be ready for the Polyatomic Ion/Common Ion Quiz that will take place the first week of school. See page 3 for the ions you will need to memorize.







### AP Chemistry 2024 Summer Assignment

To: All Incoming AP Chemistry Students

From: Mrs. Peake, AP Chemistry Instructor

Greetings and welcome to AP Chemistry! I am so excited you decided to embark on the AP Chemistry journey. AP Chemistry is equivalent to a year of General Chemistry in college. It will be a challenging class that requires effort and dedication. Just know, my desire is to prepare you to be successful on the AP exam in May!

Over the summer, you will be responsible for completing all 7 worksheets and problems in this review packet. **You must show your work!** They are **due the first day of school** and will count as your first grade in AP Chemistry. You will have a memorization quiz the first week of school on the common ions and polyatomic ions listed in your packet – you will be allowed to use the periodic table, but you will need to know the name as well as the ion symbol with charge.

<u>Please work on this packet throughout the summer – it will take you some time, so please don't wait until the last minute.</u> Arrive ready to learn – I am excited for a great year!! Have a great summer!

Mrs. Peake

Lisa Peake Lpeake@ccslancers.com


### Textbooks:

- Chemistry The Central Science, Brown and Lemay
- The General Chemistry Workbook by Bassam Z. Shakhashiri, and Rodney Schreiner this has been a favorite and most treasured resource of my students for years you will get this when you arrive to school

Video Resources: See QR codes embedded in packet for extra help!!


- YouTube Chad's General Chemistry Videos -https://www.youtube.com/playlist?list=PLMlqayk59lvrG4m2TiMdwQonjhXKUGjvY
- YouTube Tyler Dewitt -- <a href="https://www.youtube.com/user/tdewitt451/playlists">https://www.youtube.com/user/tdewitt451/playlists</a>
- Socratic https://socratic.org/chemistry
- Polyatomic Ions https://youtu.be/69ZbHNNcfz0

Socratic.com



For notes and updates to this table, see www.iupac.org. This version is dated 28 November 2016. Copyright © 2016 IUPAC, the International Union of Pure and Applied Chemistry.

Remember: Most transition metals (3-12) and Group 4A (14) metals form 2 or more positive ions, except  $Zn^{2+}$ ,  $Ag^{+}$ , and  $Cd^{2+}$ , which form only one ion (Remember – magic triangle  $\bigcirc$ ).



## **Common Polyatomic Ion List**

You must memorize this sheet. There will be a quiz on these polyatomic and common ions the first week of school. I will give you a periodic table to use— When I give you the name, you will have to give me the formula and charge AND when I give you the formula and charge, you will have to give me the name. MEMORIZE NAME, FORMULA, AND CHARGE!

Perate	ate	ite	hypoite	Monatomic anions For REFERENCE	
ClO <sub>4</sub> <sup>-</sup>	ClO <sub>3</sub> <sup>-</sup>	ClO <sub>2</sub> <sup>-</sup>	CIO <sup>-</sup>	Cl <sup>-</sup>	
<u>per</u> chlor <u>ate</u>	chlor <u>ate</u>	chlor <u>ite</u>	<u>hypo<b>chlor</b>ite</u>	chlor <u>ide</u>	
BrO <sub>4</sub> <sup>-</sup>	BrO₃ <sup>−</sup>	BrO₂ <sup>−</sup>	BrO <sup>—</sup>	Br <sup>—</sup>	
<u>per</u> brom <u>ate</u>	brom <u>ate</u>	brom <u>ite</u>	<u>hypo</u> brom <u>ite</u>	<u>brom</u> ide	
104-	IO <sub>3</sub> <sup>-</sup>	IO <sub>2</sub> -	10-	I-	
<u>per</u> iod <u>ate</u>	iod <u>ate</u>	iod <u>ite</u>	<u>hypo</u> iod <u>ite</u>	iod <u>ide</u>	
VAAV	NO <sub>3</sub> <sup>-</sup>	NO <sub>2</sub> -	2007	N <sup>3</sup> -	
XXX	nitr <u>ate</u>	nitr <u>ite</u>	XXX	nitr <u>ide</u>	
VVV	SO <sub>4</sub> <sup>2</sup> -	SO <sub>3</sub> <sup>2-</sup>	VOOV	S <sup>2-</sup>	
XXX	sulf <u>ate</u>	sulf <u>ite</u>	XXX	sulf <u>ide</u>	
	PO <sub>4</sub> <sup>3-</sup>	PO <sub>3</sub> <sup>3—</sup>		P3-	
XXX	phosph <u>ate</u>	phosph <u>ite</u>	xxx	phosph <u>ide</u>	
	CO <sub>3</sub> <sup>2-</sup>			C <sup>4</sup> -	
XXX	carbon <u>ate</u>	xxx	xxx	carb <u>ide</u>	
VVV	CrO <sub>4</sub> <sup>2-</sup>	NAV.	NAV.	VOV	
XXX	chrom <u>ate</u>	xxx	xxx	XXX	

## OTHERS YOU NEED TO KNOW:

MnO₄ <sup>-</sup>	permanganate	Cr <sub>2</sub> O <sub>7</sub> <sup>2—</sup>	dichromate
C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> <sup>-</sup>	acetate	OH-	hydroxide
HCO₃ <sup>-</sup>	hydrogen carbonate (bicarbonate)	CN-	cyanide
NH <sub>4</sub> <sup>+</sup>	ammonium	(note positive char	ge)

per\_\_\_ate: has one more oxygen than "ATE"

\_\_\_ate: most common form

\_\_\_ite: one less oxygen than "ATE"

hypo ite: two less oxygens than "ATE"

Simple ide (chloride, CI")

Oxyanions

per\_\_ate (chlorate, CIO<sub>3</sub>)

Oxyanions

per\_\_ate (chlorate, CIO<sub>3</sub>)

Common or representative oxyanion

\*\*Common or representative oxyanion\*\*

\*\*Co

NOTE: The number should be shown before the charge BUT you would not lose credit if you had the charge first! Also, if a charge is either +1 or -1, you may show just the sign (+ or -). The 1 is not required to be shown.

STEALTH BOMBER - http://www.kwanga.net/chemnotes/stealth\_bomber.pdf

Video to help you memorize: Awesome!!!! https://youtu.be/69ZbHNNcfz0





## **AP Chemistry Worksheet 1: Significant Figures**

#### Rules


3.

All non-zero digits are significant. For example. 123. (3 sig figs) 1.

2. Zeros between non-zero digits are significant. For example: 12.507 (5 sig figs) YouTube: Tyler Dewitt Significant Figures https://www.youtube.com/playlist?list=PL 3hPm0ZdYhyy0PQUQ1ka94hxVQPdYGS9m



YouTube: Fast forward to the significant figures https://youtu.be/R5ZoEeqipoY



{This signifies greater accuracy.}

If a number ends in zeros to the left of the decimal point, those zeros may or may not be significant. For example:

Zeros to the left of the first non-zero digit are not significant. For example: 1.02 (3 sig figs), 0.12 (2 sig figs), 0.012 (2 sig figs)

If we make a statement that the weight of an object is 120 g, how do we convey our knowledge of whether the balance was accurate to ± 1 g

Answer: The ambiguity can be removed by using exponential notation.

The weight can be expressed as 12. x 101 g or 1.2 x 102 g if we wish to quote unambiguously to 2 sig figs, and 12.0 x 101 g or 1.20 x 102 g if we have a confidence level extending to 3 sig figs.

Note: We cannot write 120.0 g since this requires known accuracy of  $\pm$  0.1 g.

Multiplication or Division: the result can have no more sig figs than the least accurate number. For example:

If an object has mass of 29.1143 g and a volume of 25.0 cm<sup>3</sup>, then its density is given by

Density = 
$$\underline{29.1143 \text{ g}}$$
 = 1.164572 g cm<sup>-3</sup> = 1.16 g cm<sup>-3</sup>  
25.0 cm<sup>3</sup>

Addition or Subtraction: the result must be reported to the same number of decimal places as the number with the fewest decimal places. For example:

SUM = 146.6745 g = 147. g because one weight is known only to the nearest 1 g!

NOTE: Round off numbers only at the END of calculations; otherwise, errors may be inadvertently carried through.

Rules taken from http://www.dartmouth.edu/~genchem/sigfigs.html

1.	. Round	each c	of the	foll	owing	numb	ers to	<u>four</u>	significan	t figures	, and	l express	the	result	<u>in s</u>	<u>cientifi</u>	c nota	ation:
					_				_	_		•						

## AP Chemistry Worksheet 2: Structure of the Atom and the Periodic Table





1. Complete the following chart – explain the experiment/model each scientist used <a href="https://youtu.be/KMCYPROxnAM">https://youtu.be/KMCYPROxnAM</a> and <a href="https://www.youtube.com/playlist?list=PL3hPm0ZdYhyxYBS94sd8iqDttfDiaY192">https://youtu.be/KMCYPROxnAM</a> and <a href="https://www.youtube.com/playlist?list=PL3hPm0ZdYhyxYBS94sd8iqDttfDiaY192">https://www.youtube.com/playlist?list=PL3hPm0ZdYhyxYBS94sd8iqDttfDiaY192</a>

Scientist	Discovery with regards to the Atom	Experiment/Model or Theory
John Dalton		
J.J. Thomson		
Robert Millikan		
Ernest Rutherford		
James Chadwick		
Niels Bohr		

Playlist: https://www.youtube.com/playlist?list=PL3hPm0ZdYhywb0pyaNIsXFzIOB3FESr0y

	ı
- NS 33150001	ı
	i
	١

2. Let's pretend you are holding two atoms of carbon that are isotopes. Describe what the two atoms have in common and what they have different.

3. Fill in the gaps in the following table, assuming each column represents a neutral atom:

	Symbol	Protons	Neutrons	Electrons	Mass Number
a.	<sup>39</sup> K				
	19				
b.		25	30		
c.			64	48	
d.				56	137
e.		82			207

4. Write the correct symbol, with both superscripts and subscripts, for each of the following:	
a. the isotope of sodium with mass 23	
o. the atom of vanadium that contains 28 neutrons	
c. the isotope of chlorine with mass 37	
d. an atom of magnesium that has an equal number of protons and neutrons	

# AP Chemistry Worksheet 3: Naming Inorganic Compounds Naming Compounds Flowchart





Chart Found: http://www.gridgit.com/postpic/2011/04/naming-covalent-compounds-flow-chart 261961.png

Remember: Most transition metals (3-12) and Group 4A (14) metals form 2 or more positive ions, except  $Zn^{2+}$ ,  $Ag^+$ , and  $Cd^{2+}$ , which form only one ion.

### Rules for Naming Acids:



### Naming Ionic:

 $\frac{\text{https://www.youtube.com/playlist?list=PL1pnKcPoB0iZgyHFEa}}{\text{dvxO3}} \text{ NI414YDWB}} \\ \frac{\text{dvxO3}}{\text{dvxO3}} \\$ 

https://youtu.be/eGlifOV-oLo

### Naming Covalent:

https://youtu.be/DejkvR4pvRw https://youtu.be/bjFTKzqjC54

### Naming Acids:

https://youtu.be/5Jb2u9ihfm4 https://youtu.be/VyjnMk-Ta10 https://youtu.be/MV8YRKz7gds















Naming needs to be really strong – please practice! \*Some additional practice can be found here:

☐ http://www.sciencegeek.net/APchemistry/Quizzes/Nomenclature/

Complete the following table – First decide if the substance is Ionic, Covalent or an Acid – you use different naming rules for each of these three types of substances. Then, once you have checked the appropriate classification, complete either the formula or name. (Remember Magic Triangle)

	Name	Formula	Ionic	Covalent	Acid
1.	Copper (I) oxide				
2.	Hypochlorous Acid				
3.	Zinc nitrate				
4.		H <sub>3</sub> PO <sub>4</sub>			
5.		SF <sub>6</sub>			
6.		Fe(OH) <sub>2</sub>			
7.	Tetraphosphorous hexasulfide				
8.	Sulfurous acid				
9.	Potassium oxide				
10.	Calcium acetate				
11.		IF <sub>5</sub>			
12.		Li <sub>3</sub> PO <sub>4</sub>			
13.		HCI			
14.		N <sub>2</sub> O <sub>4</sub>			
15.		AgCl			

16.	Write the	balanced	chemical	equation	for each	reaction	given	below:
-----	-----------	----------	----------	----------	----------	----------	-------	--------

- a. Zinc carbonate can be heated to form zinc oxide and carbon dioxide
- b. On treatment with hydrofluoric acid, silicon dioxide forms silicon tetrafluoride and water.
- c. Sulfur dioxide reacts with water to form sulfurous acid.

- 1. The atomic weight of magnesium is reported as 24.3, yet no atom of magnesium has the mass of 24.3 amu. Explain.
- 2. Only two isotopes of copper occur naturally, Cu-63 (abundance 69.09 percent) and Cu-65 (abundance 30.91 percent). Calculate the average atomic mass of copper.

- 4. Determine the molar mass of each of the following compounds:
  - a.  $N_2O_5$
  - b.  $Ca(C_2H_3O_2)_2$
  - c. (NH<sub>4</sub>)<sub>3</sub>PO<sub>4</sub>
- 5. Calculate the percentage by mass of oxygen in the following compounds:
  - a.  $NO_2$
  - b. CH<sub>3</sub>COOCH<sub>3</sub>
  - c. Cr(NO<sub>3</sub>)<sub>3</sub>
  - d. (NH<sub>4</sub>)<sub>2</sub>CO<sub>3</sub>

https://www.yo utube.com/playl ist?list=PL3hPm 0ZdYhywV7J-IfeuOaCws8qKy VCh0



https://youtu.b e/lywmGCfIUIA



https://youtu.b e/XDp0S1jTmE0




### **AP Chemistry Worksheet 5: Empirical and Molecular Formulas**

**Show Your Work!!** 

To find the Empirical Formula:

- Step 1: Change the % sign to grams
- Step 2: Convert grams to moles
- Step 3: Divide by the smallest number of moles
- Step 4: Multiply if needed to establish a whole number ratio



To Find the Molecular Formula:

- Step 1: Divide the Molar Mass by the Mass of the Empirical Formula you should get a whole number
- Step 2: Use the whole number from step 1 multiply subscripts of empirical formula to get molecular formula

For each problem below, write the equation and **show your work**. Always use units and box in your final answer.

- 1. Determine the empirical formula of each of the following compounds if a sample contains
  - a. 0.104 mol K, 0.052 mol C, and 0.156 mol O
  - b. 5.28 g Sn and 3.37 g F
  - c. 87.5 percent N and 12.5 percent H by mass
- 2. Determine the empirical formulas of the compounds with the following compositions by mass
  - a. 10.4 percent C, 27.8 percent S, and 61.7 percent Cl
  - b. 21.7 percent C, 9.6 percent O, and 68.7 percent F
- 3. What is the molecular formula of each of the following compounds?
  - a. empirical formula CH<sub>2</sub>, molar mass = 84 g/mol
  - b. empirical formula NH<sub>2</sub>Cl, molar mass = 51.5 g/mol



4. Determine the empirical and molecular formulas of each of the following substances:
a. Ibuprofen, a headache remedy contains 75.69 percent C, 8.80 percent H, and 15.51 percent O by mass; molar mass about 206 g
b. Benzene contains only carbon and hydrogen and is 7.74% hydrogen by mass. The molar mass of benzene is 78.1 g/mol.
5. Many homes in rural America are heated by propane gas, a compound that contains only carbon and hydrogen. Complete combustion of a sample of propane produced 2.641 g of carbon dioxide and 1.442 g of water as the only products. Find the empirical formula of propane. (Hint: Write the reaction – combustion means hydrocarbon + $O_2$ . Then, figure out how many moles of C and H were produced. They all came from the fuel.)
6. Menthol, the substance we can smell in mentholated cough drops, is composed of C, H, and O. A 0.1005 g sample of
menthol is combusted, producing 0.2829 g of CO <sub>2</sub> and 0.1159 g of H <sub>2</sub> O.
a. What is the empirical formula for menthol?
b. If the compound has a molar mass of 156 g/mol, what is its molecular formula?

## AP Chemistry Worksheet 6: Stoichiometry (you must show work and set up using dimensional analysis!)





Table 3.2 Mole Relationships Formula **Molar Mass** Number and Kind of Name of Formula Substance Weight (amu) (g/mol) Particles in One Mole  $6.02 \times 10^{23} \, \text{N} \, \text{atoms}$ N 14.0 14.0 Atomic nitrogen  $6.02 \times 10^{23} \, \text{N}_2$  molecules Molecular nitrogen  $N_2$ 28.0 28.0  $2(6.02 \times 10^{23})$  N atoms  $6.02 \times 10^{23}$  Ag atoms Silver 107.9 107.9 Ag  $6.02 \times 10^{23}\,\text{Ag}^+\,\text{ions}$ Silver ions 107.9<sup>a</sup> 107.9  $Ag^+$  $6.02 \times 10^{23} \, BaCl_2$  formula units  $6.02 \times 10^{23} \, \text{Ba}^{2+} \, \text{ions}$ Barium chloride BaCl<sub>2</sub> 208.2 208.2  $2(6.02 \times 10^{23}) \, \text{Cl}^- \, \text{ions}$ 

© 2015 Pearson Education, Inc.

- 1. A sample of glucose,  $C_6H_{12}O_6$ , contains 2.03 x  $10^{21}$  atoms of carbon
  - a. How many atoms of hydrogen does it contain?
  - b. How many molecules of glucose does it contain?
  - c. How many moles of glucose does it contain?
  - d. What is the mass of the sample in grams?
- 2. Calculate the following amounts:
  - a. How many moles of **chloride ions** are in 0.0750 g of magnesium chloride?
  - b. What is the mass, in grams, of  $3.50 \times 10^{-3}$  mol of aluminum sulfate?
  - c. What is the mass, in grams, of 1.75 x  $10^{20}$  molecules of caffeine,  $C_8H_{10}N_4O_2$ ?
  - d. What is the molar mass of cholesterol if 0.00105 mol weigh 0.406 g?



<sup>&</sup>lt;sup>a</sup>Recall that the mass of an electron is more than 1800 times smaller than the masses of the proton and the neutron; thus, ions and atoms have essentially the same mass.



- 3. Aluminum sulfide reacts with water to form aluminum hydroxide and hydrogen sulfide.
  - a. Write the balanced chemical equation for this reaction.

b. How many grams of aluminum hydroxide are obtained from 10.5 g of aluminum sulfide?

4. Automotive air bags inflate when sodium azide, NaN<sub>3</sub>, rapidly decomposes to its component elements:

$$2 \text{ NaN}_3(s) --> \text{Na}(s) + 3 \text{N}_2(g)$$

a. How many moles of N<sub>2</sub> are produced by the decomposition of 1.50 moles of NaN<sub>3</sub>?

b. How many grams of NaN₃ are required to form 5.00 g of nitrogen gas?

c. How many grams of NaN<sub>3</sub> are required to produce 10.0 L of nitrogen gas if the gas has a density of 1.25 g/L?

## AP Chemistry Worksheet 7: Limiting Reactants and Theoretical Yield (you must show your work

and set up using dimensional analysis!)

For each problem below, write the equation and show your work. Always use units and box in your final answer.

- 1. A manufacturer of bicycles has 50 wheels, 30 frames, and 24 seats.
  - a. How many bicycles can be manufactured using these parts?
  - b. How many parts of each kind are left over?
  - c. Which part is like a limiting reactant in that it limits the production of bicycles?
- 2. The fizz produced when an Alka-Seltzer tablet is dissolved in water is due to the reaction between sodium bicarbonate, NaHCO<sub>3</sub>, and citric acid,  $H_3C_6H_5O_7$ :

$$3 \text{ NaHCO}_3 (aq) + H_3C_6H_5O_7 (aq) --> 3 CO_2 (g) + 3 H_2O(l) + Na_3C_6H_5O_7 (aq)$$

In a certain experiment 1.00 g of sodium bicarbonate and 1.00 g of citric acid are allowed to react.

- a. Which reactant is the limiting reactant? You must show work to support your answer.
- b. How many grams of carbon dioxide form?

- c. How much of the limiting reactant is left when the reaction is complete?
- d. How much of the excess reactant remains after the reaction is complete?

https://youtu. be/nZOVR8EM wRU



https://youtu. be/Mlu\_v8rE1 TY



https://youtu. be/N0dTXcoHI

-1



https://youtu. be/ewS-BtwgdV4



water. F	hydrogen sulfide gas is bubbled into a solution of sodium hydroxide, the reaction forms sodium sulfide and low many grams of sodium sulfide are formed if 2.50 g of hydrogen sulfide is bubbled into a solution containing sodium hydroxide, assuming that the limiting reagent is completely consumed?
of sulfuri	ons of sulfuric acid and lead (II) acetate react to form solid lead (II) sulfate and a solution of acetic acid. If 10.0 g ic acid and 10.0 g of lead (II) acetate are mixed, calculate the number of grams of sulfuric acid, lead (II) acetate, sulfate, and acetic acid present in the mixture after the reaction is complete.
5. A stud	ent reacts benzene, $C_6H_6$ , with bromine, $Br_2$ , to prepare bromobenzene, $C_6H_5Br$ , and $HBr$ .
	a. What is the theoretical yield of bromobenzene in this reaction when 30.0 g of benzene reacts with 65.0 g of bromine?
k	o. If the actual yield of bromobenzene was 56.7 g, what was the percent yield?



Cambridge Christian School 6106 N Habana Avenue Tampa, FL 33614

813.872.6744 – CCSLancers.org